British Journal of Plastic Surgery (1997), **50**, 676–679
© 1997 The British Association of Plastic Surgeons

Subject Index

A

Abdominal wall
  after free DIEP and TRAM flap surgery for breast reconstruction, 322
  fate of oblique muscles after free TRAM flap surgery, 315
Abdominoplasty, multiparous women with severe musculoaponeurotic laxity, 450
Adenosine triphosphate (ATP), analysis in delayed skin flaps using $_{31}$P nuclear magnetic resonance spectroscopy, 272
Amputation, prevention of painful neuromas by epineural ligatures, flaps and grafts, 182
Anaesthesia
  EMLA in removal of skin staples (letter to editor), 144
  nerve blocks in laser treatment of cutaneous lesions, 132
Angiogenesis, inter-relationship with nerve regeneration: histochemical study, 125
Antibiotics, use in surgical management of upper limb lacerations, 523
Areola
  cutaneous innervation of breast and nipple-areola complex: implications for surgery, 249, 669 (letter to editor)
  nipple-areola reconstruction by tattooing and nipple sharing, 331
Auricular vessels, posterior, colour Doppler flow imaging, 172
Axillary osmidrosis, excision of subcutaneous tissue, 61

B

Beatings: experience in treatment of injuries from 'punishment attacks', 417
Beraprost sodium: stable prostaglandin I_2 analogue (letter to editor), 69
Bipedicle flaps, use in extremities, 641
Bodenham, Denis Charles, obituary, 292
Bone morphogenetic proteins (BMPs), 369
Bone regeneration, molecular approach, 369
Breast
  augmentation mammaplasty
    capsular contracture, comparison of textured and smooth surface implants, 99
    surgical glove as sizer (letter to editor), 218
  cutaneous innervation, implications for surgery, 249, 669 (letter to editor)
  giant lipoma, 263
  implants
    comparison of textured and smooth surface, 99
    silicone, complications (review), 632
    use of breast fish (letter to editor), 295
  reconstruction
    donor site morbidity of free DIEP and TRAM flaps, 322
    effect of felodipine on endothelin-1 levels, peripheral vasoconstriction and flap survival, 624
  reconstruction with implants
    endoscopically assisted latissimus dorsi harvest and prosthetic implant (letters to editor), 219, 220
    touch sensibility, 443
  reduction mammaplasty
    measuring patient-based outcomes, 242
    model for trainee and patient (letter to editor), 142
    vasoconstrictor infiltration in, 260
  touch sensibility after subcutaneous mastectomy and immediate reconstruction with prosthesis, 443
  see also Areola; Nipple
Burns
  electrical, combined scapular/parascapular flap for extensive burns of upper extremity, 501
  facial, McIndoe's guinea pigs fifty years on, 88
  immunosuppression following injury (review), 615
  plasma concentrations of tumour necrosis factor-α and interleukin-6 during surgery or dressing, 354

C

c-myc oncoprotein as prognostic marker for metastatic melanoma, 478
Cleft lip repair
  early feeding following (letters to editor), 143, 217
  nose *see* Nose, cleft lip repair
Cleft lip and palate, psychological outcomes amongst patients and their families, 1
Cleft Lip and Palate Association, feeding co-ordinator (letter to editor), 143
Condylar fractures, mandible, open reduction and internal fixation using extended bicronal approach with masseteric myotomy (letters to editor), 67, 68
Consent, informed, 637
Craniofrontonasal dysplasia, 153
Cranium
  device for precise cutting, cranial vault reshaping (letter to editor), 560
  giant congenital naevus, 20
Cytokines, plasma concentrations during burn wound surgery or dressing, 354

D

Delay phenomenon, analysis of high-energy phosphometabolites in skin flaps using ^{31}P nuclear magnetic resonance spectroscopy, 272
Dermal contraction, effect of keratinocytes, 408
Digits *see* Fingers; Thumb
Doppler imaging, colour, postauricular arteries and veins, 172

E

Ears
  laser scanning for identification of repeatable landmarks, 308
  postauricular arteries and veins, colour Doppler flow imaging, 172
  prominent, endoscopic-assisted otoplasty, 47
  reconstruction of tragus after tumour excision (case report), 552
  replantation of part of ear as open fan composite graft, 135
  tissue expansion as adjunct to reconstruction of deformities, 456
Edinburgh Plastic Surgery Unit, early history (letter to editor), 70
EMLA, removal of skin staples (letter to editor), 144
Endoscopy
  harvest of tensor fasciae latae muscle flap, 58
  otoplasty and, 47
Endothelin-1, effect of felodipine, in microvasacular breast reconstruction, 624
Epigastric flaps
  deep inferior perforator, breast reconstruction: donor site morbidity, 322
  ischaemic, survival, recipient bed vascularity and, 266
Epineural ligatures/flaps/grafts, prevention of painful neuromas, 182
Eutectic mixture of local anaesthetic *see* EMLA
Eyelid reconstruction, bipennate second dorsal metacarpal artery free flap, 280

F

Face
  hemifacial microsomia, understanding and management, 536
  laser scanning for identification of repeatable landmarks, 308
  reconstruction, McIndoe's guinea pigs fifty years on, 88
  surface anatomy terminology, 584
Facial palsy following trauma to external ear: 3 case reports, 646
Fasciocutaneous flaps, islanded distally based flaps on lower limb: five year review, 421, 670 (letter to editor)
Felodipine, effect on endothelin-1 levels, peripheral vasoconstriction and flap survival during microvascular breast reconstruction, 624

British Journal of Plastic Surgery (1997), **50**, 676–679
© 1997 The British Association of Plastic Surgeons

Subject Index

A

Abdominal wall
  after free DIEP and TRAM flap surgery for breast reconstruction, 322
  fate of oblique muscles after free TRAM flap surgery, 315
Abdominoplasty, multiparous women with severe musculoaponeurotic laxity, 450
Adenosine triphosphate (ATP), analysis in delayed skin flaps using $_{31}$P nuclear magnetic resonance spectroscopy, 272
Amputation, prevention of painful neuromas by epineural ligatures, flaps and grafts, 182
Anaesthesia
  EMLA in removal of skin staples (letter to editor), 144
  nerve blocks in laser treatment of cutaneous lesions, 132
Angiogenesis, inter-relationship with nerve regeneration: histochemical study, 125
Antibiotics, use in surgical management of upper limb lacerations, 523
Areola
  cutaneous innervation of breast and nipple-areola complex: implications for surgery, 249, 669 (letter to editor)
  nipple-areola reconstruction by tattooing and nipple sharing, 331
Auricular vessels, posterior, colour Doppler flow imaging, 172
Axillary osmidrosis, excision of subcutaneous tissue, 61

B

Beatings: experience in treatment of injuries from 'punishment attacks', 417
Beraprost sodium: stable prostaglandin I_2 analogue (letter to editor), 69
Bipedicle flaps, use in extremities, 641
Bodenham, Denis Charles, obituary, 292
Bone morphogenetic proteins (BMPs), 369
Bone regeneration, molecular approach, 369
Breast
  augmentation mammaplasty
    capsular contracture, comparison of textured and smooth surface implants, 99
    surgical glove as sizer (letter to editor), 218
  cutaneous innervation, implications for surgery, 249, 669 (letter to editor)
  giant lipoma, 263
  implants
    comparison of textured and smooth surface, 99
    silicone, complications (review), 632
    use of breast fish (letter to editor), 295
  reconstruction
    donor site morbidity of free DIEP and TRAM flaps, 322
    effect of felodipine on endothelin-1 levels, peripheral vasoconstriction and flap survival, 624
  reconstruction with implants
    endoscopically assisted latissimus dorsi harvest and prosthetic implant (letters to editor), 219, 220
    touch sensibility, 443
  reduction mammaplasty
    measuring patient-based outcomes, 242
    model for trainee and patient (letter to editor), 142
    vasoconstrictor infiltration in, 260
  touch sensibility after subcutaneous mastectomy and immediate reconstruction with prosthesis, 443
  see also Areola; Nipple
Burns
  electrical, combined scapular/parascapular flap for extensive burns of upper extremity, 501
  facial, McIndoe's guinea pigs fifty years on, 88
  immunosuppression following injury (review), 615
  plasma concentrations of tumour necrosis factor-α and interleukin-6 during surgery or dressing, 354

C

c-myc oncoprotein as prognostic marker for metastatic melanoma, 478
Cleft lip repair
  early feeding following (letters to editor), 143, 217
  nose *see* Nose, cleft lip repair
Cleft lip and palate, psychological outcomes amongst patients and their families, 1
Cleft Lip and Palate Association, feeding co-ordinator (letter to editor), 143
Condylar fractures, mandible, open reduction and internal fixation using extended bicronal approach with masseteric myotomy (letters to editor), 67, 68
Consent, informed, 637
Craniofrontonasal dysplasia, 153
Cranium
  device for precise cutting, cranial vault reshaping (letter to editor), 560
  giant congenital naevus, 20
Cytokines, plasma concentrations during burn wound surgery or dressing, 354

D

Delay phenomenon, analysis of high-energy phosphometabolites in skin flaps using ^{31}P nuclear magnetic resonance spectroscopy, 272
Dermal contraction, effect of keratinocytes, 408
Digits *see* Fingers; Thumb
Doppler imaging, colour, postauricular arteries and veins, 172

E

Ears
  laser scanning for identification of repeatable landmarks, 308
  postauricular arteries and veins, colour Doppler flow imaging, 172
  prominent, endoscopic-assisted otoplasty, 47
  reconstruction of tragus after tumour excision (case report), 552
  replantation of part of ear as open fan composite graft, 135
  tissue expansion as adjunct to reconstruction of deformities, 456
Edinburgh Plastic Surgery Unit, early history (letter to editor), 70
EMLA, removal of skin staples (letter to editor), 144
Endoscopy
  harvest of tensor fasciae latae muscle flap, 58
  otoplasty and, 47
Endothelin-1, effect of felodipine, in microvasacular breast reconstruction, 624
Epigastric flaps
  deep inferior perforator, breast reconstruction: donor site morbidity, 322
  ischaemic, survival, recipient bed vascularity and, 266
Epineural ligatures/flaps/grafts, prevention of painful neuromas, 182
Eutectic mixture of local anaesthetic *see* EMLA
Eyelid reconstruction, bipennate second dorsal metacarpal artery free flap, 280

F

Face
  hemifacial microsomia, understanding and management, 536
  laser scanning for identification of repeatable landmarks, 308
  reconstruction, McIndoe's guinea pigs fifty years on, 88
  surface anatomy terminology, 584
Facial palsy following trauma to external ear: 3 case reports, 646
Fasciocutaneous flaps, islanded distally based flaps on lower limb: five year review, 421, 670 (letter to editor)
Felodipine, effect on endothelin-1 levels, peripheral vasoconstriction and flap survival during microvascular breast reconstruction, 624

Feminization: incomplete testicular feminization syndrome, surgical management in three sisters, 212
Fibroblasts
  cultured, growth inhibition by extracts from human dermis 186, 382 (letter to editor)
  fibronectin production, effect of keratinocytes, 408
Fibronectin production by fibroblasts, effect of keratinocytes, 408
Fingers
  amputated, temporary ectopic implantation (letters to editor), 144
  regeneration of sudomotor and sensory nerve fibres after replantation and microneurovascular toe-to-hand transfer, 227
Fingertips, reconstruction with dorsal island homodigital flap, 121
Flexor digitorum superficialis, anomalous muscle belly in palm (case report), 654
Flexor pollicis longus tendon, step-wise lengthening for delayed repair of avulsion, 651
Flexor tendons
  range of excursion in Zone V: comparison of active vs passive flexion mobilisation regimes, 517
  repair, comparative biomechanical analysis of new circumferential and modified Kessler repair, 236
Foot
  free radial forearm flap after shotgun injury, 288
  middle dorsal reconstruction, longitudinally designed dorsal metatarsal VY advancement flap (letter to editor), 561
  reconstruction, weight-bearing, non-innervated and reinnervated free flaps, 176, 295 (letter to editor), 296 (letter to editor)
Foot flaps, dorsal, distally based islanded, 284, 666 (letter to editor), 667 (letter to editor), 668 (letter to editor)
Forearm
  combined scapular/parascapular flap for extensive electrical burns, 501
  free arterialised venous flaps for intraoral reconstruction, 166
  free skin flaps: report of 56 cases (classic reprint), 162
  radial flaps *see* Radial forearm flaps
Forehead flap, tissue expansion for nasal reconstruction (letter to editor), 217
Free flaps
  arterialised venous forearm flaps for intraoral reconstruction, 166
  deep inferior epigastric perforator, donor site morbidity, 322
  foot reconstruction, weight-bearing, 176, 295 (letter to editor), 296 (letter to editor)
  forearm skin flaps, report of 56 cases (classic reprint), 162
  musculofasciocutaneous medial plantar, reconstruction of thenar defects, 116
  osteocutaneous, one-stage reconstruction of war wounds, 81
  radial forearm
    pharyngo-oesophageal reconstruction, 40
    use in foot after shotgun injury, 288
  second dorsal metacarpal artery, bipennate, double eyelid resurfacing, 280
  transverse rectus abdominis musculocutaneous, donor site morbidity, 315, 322
Free tissue transfer, leg reconstruction in children, 335

G

Gene therapy, tissue repair, 491
Glanuloplasty *see* Urethral advancement and glanuloplasty
Glove, surgical, extended role (letters to editor), 218, 471
Graves' ophthalmopathy, long term results of four-wall orbital decompression, 507
Gunshot wounds, foot, use of free radial forearm flap, 288

H

Hand
  anomalous flexor digitorum superficialis muscle belly in palm (case report), 654
  combined scapular/parascapular flap for extensive electrical burns, 501
  reconstruction of thenar defects, free musculofasciocutaneous medial plantar flap, 116
  use of bipedicle flaps, 641
Healing *see* Wounds, healing
Heel
  free radial forearm flap after shotgun injury, 288
  postero-plantar ulcers, step-ladder V-Y advancement flap, 657
Hemifacial microsomia, understanding and management, 536
History: early history of Edinburgh Plastic Surgery Unit (letter to editor), 70
Hyaluronic acid, stimulation of tumour necrosis factor-α production by human macrophages, 362
Hypospadias
  distal, urethral advancement and glanuloplasty (UGPI): modification of MAGPI procedure, 206
  urinary flow rates, 530
Hypothermia, protection against ischaemia-perfusion injury in skeletal muscle, 343

I

Immunosuppression following thermal injury (review), 615
Informed consent, 637
Interleukin-6, plasma concentration during burn wound surgery or dressing, 354
Intraoral reconstruction
  after tumour resection, use of mucosal prelaminated flaps, 303
  free arterialised venous forearm flaps, 166
  peroneal flap, 595
Ireland, Northern *see* Northern Ireland
Ischaemia-reperfusion injury, rabbit skeletal muscle, protective effect of mild hypothermia, 343
Ischaemic flaps, survival, recipient bed vascularity and, 266
Ischial pressure sores, flap selection, 374
Island flaps
  distally based dorsal foot flap, 284, 666 (letter to editor), 667 (letter to editor), 668 (letter to editor)
  distally based fasciocutaneous flaps on lower limb: five year review, 421, 671 (letter to editor)
  dorsal homodigital, fingertip reconstruction, 121

J

Jayes, Percy Harris, obituary, 380

K

Kay-Kilner Prize Essay 1996: Measuring outomes in plastic surgery, 201
Keratinocytes, effect on dermal contraction and fibronectin production by fibroblasts, 408
Keratoacanthoma, split skin graft donor site (letter to editor), 560

L

Lasers
  scanning, identification of repeatable landmarks of ears and face, 308
  treatment of cutaneous lesions, use of nerve blocks, 132
Latissimus dorsi muscle
  endoscopically assisted harvest and prosthetic placement in breast (letters to editor), 219, 220
  muscle flap
    regional perfusion and oxidation in pedicled flap: effect of mobilisation and electrical stimulation, 435, 670 (letter to editor)
    seroma prevention in donor site, 106
Legs
  reconstruction in children, free tissue transfer in, 335
  see also Lower limbs
Limbs
  development in vertebrates, contribution to understanding of recent molecular advances, 109
  reconstruction, combined use of flaps based on subscapular vascular system, 73
  see also Lower limbs; Upper limbs
Lipoma, giant, breast, 263

Lips: congenital lower lip sinuses in Nigerian children (case report), 649
Lower limbs
islanded distally based fasciocutaneous flaps: five year review, 421, 671 (letter to editor)
use of bipedicle flaps, 641
see also Legs
Lymph nodes, pigmented (letter to editor), 563

M

McIndoe, Sir Archibald, review after fifty years of four facial reconstructions, 88
Macrophages, hyaluronic acid stimulation of tumour necrosis factor-α production, 362
Magnetic resonance spectroscopy, ^{31}phosphorus, analysis of high-energy phosphometabolites in delayed skin flaps, 272
Mammaplasty
augmentation
capsular contracture, comparison of textured and smooth surface implants, 99
surgical glove as sizer (letter to editor), 218
reduction
measuring patient-based outcomes, 242
model for trainee and patient (letter to editor), 142
vasoconstrictor infiltration in, 260
Mandible
condylar fractures, open reduction and internal fixation using extended bicronal approach with masseteric myotomy (letters to editor), 67, 68
fixation, evaluation of Würzburg titanium miniplate system, 26
midline palatomandibular bony fusion with mandibular cleft and bifid tongue, 139
Mansfield, Oliver Turquand, obituary, 559
Matthews, David Napier, obituary, 662
Maxillary sinus, pneumosinus dilatans: report of two cases, 33
Melanoma, malignant
follow-up requirements for thick cutaneous melanoma, 349
metastatic, c-myc oncoprotein as prognostic marker, 478
pigmented lymph nodes and (letter to editor), 563
subungual, clinical significance of oncogene expression, 15
young, 1
Metacarpal flaps
bipennate free flap for double eyelid resurfacing based on second metacarpal artery, 280
reverse dorsal osteocutaneous (case report), 555
Microvascular surgery, use of video-imaging (letters to editor), 294, 668
Mobilisation: comparison of active vs passive flexion mobilisation regimes, 517
Mouth, intraoral reconstruction
free arterialised venous forearm flaps, 166
mucosal prelaminated flaps for physiological reconstruction after tumour resection, 303
peroneal flap, 595
Muscle flaps
latissimus dorsi
regional perfusion and oxidation in pedicled flap: effect of mobilisation and electrical stimulation, 435, 670 (letter to editor)
seroma prevention in donor site, 106
tensor fasciae latae, endoscopic harvest, 58
Musculocutaneous flaps, transverse rectus abdominis, donor site morbidity, 315, 322
Musculofasciocutaneous flaps, free medial plantar, reconstruction of thenar defects, 116

N

Naevi, giant congenital naevus of scalp and cranium: case report and review of literature, 20
Nails, subungual melanoma, clinical significance of oncogene expression, 15
Neovascularisation in flap prefabrication, 428
Nerve blocks, use in laser treatment of cutaneous lesions, 132
Nerve grafts, influence of graft length on functional and morphological result, 609
Nerve regeneration, inter-relationship with angiogenesis: histochemical study, 125
Neuromas, painful, prevention by epineural ligatures, flaps and grafts, 182
Nipple
cutaneous innervation of breast and nipple-areola complex: implications for surgery, 249, 668 (letter to editor)
malpositioned, simple method for resiting (letter to editor), 470
nipple-areola reconstruction by tattooing and nipple sharing, 331
Nitric oxide synthase activity, ischaemic skin flaps, endothelial ultrastructure and, 483
Northern Ireland, treatment of injuries from 'punishment attacks', 417
Nose
cleft lip repair, outcome analysis of modified Tajima procedure, 590
reconstruction, tissue expansion of forehead flap (letter to editor), 217

O

Obituaries
Bodenham, Denis Charles, 292
Jayes, Percy Harris, 380
Mansfield, Oliver Turquand, 559
Matthews, David Napier, 662
Penn, Jack, 468
Oesophagus: free radial forearm flap in pharyngo-oesophageal reconstruction, 40
Oncogenes
c-myc as prognostic marker for metastatic melanoma, 478
expression in subungual melanoma, clinical significance, 15
Orbital decompression, four-wall, Graves' ophthalmopathy: long-term results, 507
Osmidrosis, axillary, excision of subcutaneous tissue, 61
Osteocutaneous flaps
free, one-stage reconstruction of war wounds, 81
reverse dorsal metacarpal (case report), 555
Osteosynthesis, Würzburg titanium miniplate system, mandibular fixation, 26
Otoplasty, endoscopic-assisted: preliminary report, 47
Outcomes measurement
patient-based, breast reduction surgery, 242
plastic surgery (Kay-Kilner Prize Essay 1996), 201

P

Palatomandibular bony midline fusion with mandibular cleft and bifid tongue, 139
Parotid gland
malignant tumours: 12-year review, 600
vascular malformation, 'turkey wattle' sign, 43
Penn, Jack, obituary, 468
Peroneal flap, oral reconstruction, 595
Pharyngo-oesophageal reconstruction, free radial forearm flap in, 40
Pharyngoplasty, Orticochea, treatment of pharyngeal incompetence (letters to editor), 471
Phosphocreatine, analysis in delayed skin flaps using ^{31}P nuclear magnetic resonance spectroscopy, 272
Phosphometabolites, high-energy, analysis in delayed skin flaps using ^{31}P nuclear magnetic resonance spectroscopy, 272
Pneumosinus dilatans, maxillary sinus: report of two cases, 33
Port wine stains, psychosocial adjustment, 463
Prefabrication of flaps, neovascularisation in, 428
Prelaminated mucosal flaps, reconstruction of intraoral defects after tumour resection, 303
Pressure sores
carcinoma in (letter to editor), 382
ischial, flap selection, 374
Prostaglandin I_2 analogue, beraprost sodium (letter to editor), 69
Psychology, psychological outcomes amongst cleft patients and their families, 1
Psychosocial adjustment, port wine stains, 463

R

Radial forearm flaps
  free
    pharyngo-oesophageal reconstruction, 40
    use in foot after shotgun injury, 288
  reverse flow, venous drainage: anatomical and radiographic perfusion studies, 389
Rectus abdominis, transverse *see* Transverse rectus abdominis
Reperfusion injury: protective effect of mild hypothermia against ischaemia-reperfusion injury in skeletal muscle, 343
Reverse flow flaps, venous drainage of radial forearm and anterior tibial flaps, 389

S

Scalp, giant congenital naevus, 20
Scapular flaps, combined scapular/parascapular flap for extensive electrical burns of upper extremity, 501
Seroma, prevention in latissimus dorsi flap donor site, 106
Skin flaps
  delayed, analysis of high-energy phosphometabolites using ^{31}P nuclear magnetic resonance spectroscopy, 272
  forearm free, report of 56 cases (classic reprint), 162
  ischaemic, nitric oxide synthase activity and endothelial ultrastructure, 483
Skin grafts, split skin, keratoacanthoma in donor site (letter to editor), 560
Skin lesions, laser treatment, use of nerve blocks, 132
Staples, skin, removal and use of EMLA cream (letter to editor), 144
Subscapular vascular system, flaps based on, combined use for limb reconstruction, 73
Sural flap, distally based superficial, reconstruction of lower leg and foot, 176, 295 (letter to editor), 296 (letter to editor)
Suture, Vicryl, inflammatory reaction to (letter to editor), 665

T

Tajima procedure, modified, outcome analysis, 590
Tattooing, nipple-areola reconstruction, 331
Tax allowance for surgical telescopes (letter to editor), 777
Tensor fasciae latae muscle flap, endoscopic harvest, 58
Testicular feminization syndrome, incomplete, surgical management in three sisters, 212
Thumb, reconstruction of thenar defects, free musculofasciocutaneous medial plantar flap, 116
Tibial artery flaps, anterior reverse flow, venous drainage: anatomical and radiographic perfusion studies, 389
Tibial fractures, open, report on management by BOA/BAPS Working Party, 570
Tissue defects, healing, negative pressure in: clinical trial using vacuum sealing technique, 194
Tissue expansion
  ear reconstruction, 456
  forehead flap, for nasal reconstruction (letter to editor), 217
Tissue repair, gene therapy, 491
Titanium miniplate system, mandibular fixation, 26
Toe-to-hand transfer, regeneration of sudomotor and sensory nerve fibres, 227
Tragus, reconstruction after tumour excision (case report), 552
Transverse rectus abdominis musculocutaneous flaps (TRAM), donor site
  fate of oblique abdominal muscles after free TRAM flap surgery, 315
  morbidity after free TRAM flap surgery for breast reconstruction, 322
Tumour necrosis factor-α
  hyaluronic acid stimulation of production by human macrophages, 362
  plasma concentration during burn wound surgery or dressing, 354
'Turkey wattle' sign, 43

U

Upper limbs, antibiotics in surgical management of lacerations, 523
Urethral advancement and glanuloplasty (UGPI), distal hypospadias, 206
Uroflowmetry, hypospadias, 530

V

V-Y advancement flaps
  longitudinally designed dorsal metatarsal, middle dorsal foot reconstruction (letter to editor), 561
  stepladder, repair of postero-plantar heel ulcers, 657
Vacuum sealing technique, promotion of healing of tissue defects, 194
Vascular malformation of parotid gland, 'turkey wattle' sign, 43
Vasoconstrictor infiltration, breast reduction surgery, 260
Velopharyngeal incompetence, treatment by Orticochea pharyngoplasty (letters to editor), 471
Venous flaps
  experimental flow-through (letter to editor), 70
  free arterialised forearm flaps for intraoral reconstruction, 166
Venous system, arterialization in rat lower limb model, 402
Vicryl suture, inflammatory reaction to subcuticular suture following tuberculin test (letter to editor), 665
Video microsurgery (letters to editor), 294, 668

W

War wounds, one-stage reconstruction with free osteocutaneous flaps, 81
Wounds
  closure, breast fish (letter to editor), 295
  healing
    hyaluronic acid stimulation of tumour necrosis factor-α production by human macrophages, 362
    use of negative pressure: clinical trial using vacuum sealing technique, 194
  repair, gene therapy, 491
  see also Gunshot wounds; War wounds
Würzburg titanium miniplate system, mandibular fixation, 26

British Journal of Plastic Surgery (1997), **50**, 680–684
© 1997 The British Association of Plastic Surgeons

Author Index

A

Ahčan, U., Arnež, Z.M., Janko, M. and Dovšak, D. Regeneration of sudomotor and sensory nerve fibres after digital replantation and microneurovascular toe-to-hand transfer, 227
Aiso, S., jt.author. *See* Nakajima, H.
Al-Qattan, M.M. Abdominoplasty in multiparous women with severe musculoaponeurotic laxity, 450
Alconchel, M.D., jt.author. *See* Martínez, J.M.
Ali, S., Jaffe, W. and Howcroft, A. A simple method of resiting the malpositioned nipple (letter to the editor), 470
Alvi, R., jt.author. *See* Malata, C.M.
Amarante, J., jt.author. *See* Santa-Comba, A.
Anthony, J.P., jt.author. *See* Foster, R.D.
Armstrong, A.P. and Caddy, C.M. Tax allowance for surgical telescopes (letter to the editor), 666
Armstrong, A.P., Cole, A.A. and Page, R.E. Informed consent: are we doing enough?, 637
Arnež, Z.M., jt.author. *See* Ahčan, U.
Arons, J.A. The distally-based islanded dorsal foot flap (letter to the editor), 666
Ashworth, G.J., jt.author. *See* Orr, D.J.A.
Asko-Seljavaara, S., jt.author. *See* Tuominen, H.P.
Aslam, S., jt.author. *See* Dujon, D.G.

B

Banwell, P., Deakin, M., Holden, J. and Powell, B. Removal of skin staples and the use of EMLA cream (letter to the editor), 144
Barron, D.J., Etherington, P.J.E., Winlove, C.P. and Pepper, J.R. Regional perfusion and oxygenation in the pedicled latissimus dorsi muscle flap: the effect of mobilisation and electrical stimulation, 435
Battal, M.N. and Hata, Y. Beraprost sodium: a stable prostaglandin I_2 analogue (letter to the editor), 69
Beal, B., jt.author. *See* Jackson, I.T.
Benediktsson, K.P., Perbeck, L., Geigant, E. and Solders, G. Touch sensibility in the breast after subcutaneous mastectomy and immediate reconstruction with a prosthesis, 443
Berger, A., jt.author. *See* Eming, S.A.
Berry, R.B., jt.author. *See* Bhatty, M.A.
Bharathwaj, V.S. and Quaba, A.A. The distally based islanded dorsal foot flap, 284
Bhatty, M.A. and Berry, R.B. Nipple-areola reconstruction by tattooing and nipple sharing, 331
Binns, M.S., jt.author. *See* Farrar, M.J.
Blondeel, P.N., Boeckx, W.D., Vanderstraeten, G.G., Lysens, R., Van Landuyt, K., Tonnard, P., Monstrey, S.J. and Matton, G. The fate of the oblique abdominal muscles after free TRAM flap surgery, 315
Blondeel, P.N., Vanderstraeten, G.G., Monstrey, S.J., Van Lunduyt, K., Tonnard, P., Lysens, R., Boeckx, W.D. and Matton, G. The donor site morbidity of free DIEP flaps and free TRAM flaps for breast reconstruction, 322
Boeckx, W.D., jt.author. *See* Blondeel, P.N.
Boorman, J.G., jt.author. *See* Malyon, A.D.
Borgie, C.A.J.M. de. jt.author. *See* van der Horst, C.M.A.M.
Borman, H., jt.author. *See* Kostakoğlu, N.
Bossuyt, P.M.M., jt.author. *See* van der Horst, C.M.A.M.
Bowley, N., jt.author. *See* Malyon, A.D.
Boyce, D.E., Thomas, A., Hart, J., Moore, K. and Harding, K. Hyaluronic acid induces tumour necrosis factor-α production by human macrophages in vitro, 362
Boyce, S.G., jt.author. *See* Ralston, D.R.
Bozdoğan, M.N., jt.author. *See* Velidedeoğlu, H.V.
Breidahl, A.F., Szwajkun, P. and Chen, Y.-R. Pneumosinus dilatans of the maxillary sinus: a report of two cases, 33
Brown, R., jt.author. *See* Hobson, M.I.
Buncke, H.J., jt.author. *See* Ozek, C.
Burd, D.A.R., jt.author. *See* Zhu, N.

C

Caddy, C.M., jt.author. *See* Armstrong, A.P.
Cai, R., jt.author. *See* Zhu, N.
Calvert, M.L., jt.author. *See* Cousley, R.R.J.
Camilleri, I.G., jt.author. *See* Malata, C.M.
Carroll, S.M. Regional perfusion and oxygenation in the pedicled latissimus dorsi muscle flap (letter to the editor), 670
Cassell, O.C.S. and Ion, L. Are antibiotics necessary in the surgical management of upper limb lacerations?, 523
Cassell, O.C.S., jt.author. *See* Ion, L.E.
Cerkes, N., Erer, M. and Sirin, F. The combined scapular/parascapular flap for the treatment of extensive electrical burns of the upper extremity, 501
Ceuppens, A., Wylock, P. and De Raeve, H. Carcinoma in a pressure sore (letter to the editor), 382
Chana, J.S., Grobbelaar, A.O. and Gault, D.T. Tissue expansion as an adjunct to reconstruction of congenital and acquired auricular deformities, 456
Chang, Y.P., jt.author. *See* Wu, W.C.
Chapman, C. The early history of the Edinburgh Plastic Surgery Unit (letter to the editor), 70
Chen, H.-T., jt.author. *See* Chaing, Y.-C.
Chen, J.L., jt.author. *See* Wang, H.J.
Chen, P.-J., jt.author. *See* Yang, G.-F.
Chen, T.M., jt.author. *See* Wang, H.J.
Chen, Y.-R., jt.author. *See* Breidahl, A.F.
Cheng, T.Y., jt.author. *See* Wang, H.J.
Chiang, Y.-C., Jeng, S.-F., Yeh, M.-C., Liu, Y.-T., Chen, H.-T. and Wei, F.-C. Free tissue transfer for leg reconstruction in children, 335
Chin, B.T., jt.author. *See* Ozek, C.
Chippindale, A.J., jt.author. *See* Malata, C.M.
Chiu, H.-Y., jt.author. *See* Lin, S.-C.
Chow, L.S., jt.author. *See* Wang, H.J.
Cimorra, G.A., jt.author. *See* Martínez, J.M.
Coady, M.S.E. Measuring outcomes in plastic surgery. Kay-Kilner Prize Essay 1996, 200
Cohen, M. Immediate unrestricted feeding of infants following cleft lip and palate repair (letter to the editor), 143
Cole, A.A., jt.author. *See* Armstrong, A.P.
Cole, R.P., jt.author. *See* Shakespeare, V.
Coleman, D.J., jt.author. *See* Malata, C.M.
Cooper, T.M. Temporary ectopic implantation for salvage of amputated digits (letter to the editor), 144
Corrigan, A.M., jt.author. *See* Mitchell, D.A.
Cosgrove, J.M. Free radial forearm flap to the foot after a shotgun injury: the day I became a patient, 288
Coşkunfirat, O.K., jt.author. *See* Velidedeoğlu, H.V.
Court-Brown, C.M., jt.author. *See* Erdmann, M.W.H.
Cousley, R.R.J. and Calvert, M.L. Current concepts in the understanding and management of hemifacial microsomia, 536
Coward, T.J., Watson, R.M. and Scott, B.J.J. Laser scanning for the identification of repeatable landmarks of the ears and face, 308

D

Dalley, A.J., jt.author. *See* Ralston, D.R.
Davies, G. A feeding co-ordinator of the Cleft Lip and Palate Association (letter to the editor), 143
de Borgie, C.A.J.M., jt.author. *See* van der Horst, C.M.A.M.
De Raeve, H., jt.author. *See* Ceuppens, A.
Deakin, M., jt.author. *See* Banwell, P.
DeBono, R. and Rao, G.S. Vasoconstrictor infiltration in breast reduction surgery: is it harmful?, 260
Dheansa, B.S. and Powell, B.W.E.M. Pigmented lymph nodes (letter to the editor), 563
Dickson, M.G., jt.author. *See* Shibu, M.M.
Dickson, W.A., jt.author. *See* Hamilton, S.A.
Donoghue, J.O., jt.author. *See* Panchal, J.
Dovšak, D., jt.author. *See* Ahčan, U.
Dowell, T., jt.author. *See* Turner, S.R.

Du Trevou, M., jt.author. *See* Madaree, A.
Dujon, D.G., Khan, U.D. and Aslam, S. Bipedicle flaps: simple solutions for difficult problems in the extremities, 641
Dunaway, D.J. and Trott, J.A. Open reduction and internal fixation of condylar fractures via an extended bicronal approach with a masseteric myotomy - reply (letter to the editor), 68
Dunn, K.W. and Harrison, R.K. Naming of parts: a presentation of facial surface anatomical terms, 584
Durak, N., jt.author. *See* Yüksel, F.
Džepina, I., Stanec, Z., Škrbić, S., Hulina, D., Ivrlač, J., Unušić, J. and Montani, D. One-stage reconstruction of war wounds with free osteocutaneous flaps, 81

E

Eames, M.H.A., Kneafsey, B. and Gordon, D. A fractured peace: a changing pattern of violence, 416
Earley, M.J., jt.author. *See* Yap, L.H.
Eiman, T., jt.author. *See* Ozek, C.
Eming, S.A., Morgan, J.R. and Berger, A. Gene therapy for tissue repair: approaches and prospects, 491
Erdmann, M.W.H., Court-Brown, C.M. and Quaba, A.A. A five year review of islanded distally based fasciocutaneous flaps on the lower limb, 421
Erer, M., jt.author. *See* Cerkes, N.
Etherington, P.J.E., jt.author. *See* Barron, D.J.

F

Farrar, M.J. and Binns, M.S. Inflammatory reaction to subcuticular Vicryl suture following tuberculin test (letter to the editor), 665
Fatah, M.F.T., jt.author. *See* Titley, O.G.
Feldberg, L., jt.author. *See* Malata, C.M.
Fissette, J., Medot, M., Heymans, O. and Nelissen, X. Video microsurgery: additional experience (letter to the editor), 668
Foo, I.T.H., jt.author. *See* Malata, C.M.
Forder, M., jt.author. *See* Grover, R.
Foster, R.D., Anthony, J.P., Mathes, S.J. and Hoffman, W.Y. Ischial pressure sore coverage: a rationale for flap selection, 374
Frame, J.D., jt.author. *See* Iwuagwu, F.C.
Freedlander, E., jt.author. *See* Ralston, D.R.
Frey, M., jt.author. *See* Koller, R.
Fu-Chan Wei, jt.author. *See* Tung-Chain Tung
Fujino, T., jt.author. *See* Nakajima, H.
Furuta, S., Hataya, Y., Ishigaki, Y. and Watanabe, T. Monitoring the free radial forearm flap in pharyngo-oesophageal reconstruction, 40

G

Gao, Y.-Z., jt.author. *See* Yang, G.-F.
Gault, D.T., jt.author. *See* Chana, J.S.
Gault, D.T., jt.author. *See* Graham, K.E.
Geigant, E., jt.author. *See* Benediktsson, K.P.
Gittenberg-de Groot, A.C., jt.author. *See* Jaspars, J.J.P.
Glaser, C., jt.author. *See* Rath, T.
Godwin, Y. "Time is the healer": McIndoe's Guinea Pigs fifty years on, 88
Gordon, D., jt.author. *See* Eames, M.H.A.
Gordon, D., jt.author. *See* Sylaidis, P.
Graf, P. Temporary ectopic implantation for salvage of amputated digits – reply (letter to the editor), 144
Graham, K., jt.author. *See* Shibu, M.M.
Graham, K.E. and Gault, D.T. Endoscopic assisted otoplasty: a preliminary report, 47
Greant, P. The distally based superficial sural flap for reconstruction of the lower leg and foot (letter to the editor), 295
Green, C.J., jt.author. *See* Hobson, M.I.
Green, C.J., jt.author. *See* Kostakoğlu, N.
Gribbe, Ö, Lundeberg, T., Samuelson, U.E. and Wiklund, N.P. Nitric oxide synthase activity and endothelial ultrastructure in ischaemic skin-flaps, 483
Grobbelaar, A.O., jt.author. *See* Chana, J.S.
Grobbelaar, A.O., jt.author. *See* Grover, R.
Grobbelaar, A.O., jt.author. *See* Harrison, D.H.
Grover, R., Grobbelaar, A.O., Hudson, D.A., Forder, M., Wilson, G.D. and Sanders, R. The clinical significance of oncogene expression in subungual melanoma, 15
Grover, R., Ross, D.A., Wilson, G.D. and Sanders, R. Measurement of c-myc oncoprotein provides an independent prognostic marker for regional metastatic melanoma, 478

H

Ha, B., Park, C.G. and Minn, K.W. Analysis of high-energy phosphometabolites in delayed experimental skin flaps using ^{31}P nuclear magnetic resonance spectroscopy, 272
Hamilton, S.A., Dickson, W.A. and O'Brien, C.J. Keratoacanthoma developing in a split skin graft donor site (letter to the editor), 560
Harding, K., jt.author. *See* Boyce, D.E.
Harrison, D.H. and Grobbelaar, A.O. Urethral advancement and glanuloplasty (UGPI): a modification of the MAGPI procedure for distal hypospadias, 206
Harrison, R.K., jt.author. *See* Dunn, K.W.
Hart, J. jt.author. *See* Boyce, D.E.
Haslik, W., jt.author. *See* Koller, R.
Hata, Y., jt.author. *See* Battal, M.N.
Hataya, Y., jt.author. *See* Furuta, S.
Hayashi, A. and Maruyama, Y. Stepladder V-Y advancement flap for repair of postero-plantar ulcers, 657
Hayward, P.G., jt.author. *See* Wilson, Y.T.
He, S.-P., jt.author. *See* Yang, G.F.
Heymans, O., jt.author. *See* Fissette, J.
Hickey, M.J., jt.author. *See* Wilson, Y.T.
Hill, G., jt.author. *See* Papini, R.P.
Hobson, M.I., Brown, R., Green, C.J. and Terenghi, G. Inter-relationships between angiogenesis and nerve regeneration: a histochemical study, 125
Hoffman, W.Y., jt.author. *See* Foster, R.D.
Holden, J., jt.author. *See* Banwell, P.
Horst, C.M.A.M. van der, de Borgie, C.A.J.M., Knopper, J.L. and Bossuyt, P.M.M. Psychosocial adjustment of children and adults with port wine stains, 463
Howcroft, A., jt.author. *See* Ali, S.
Hudson, D.A., jt.author. *See* Grover, R.
Hulina, D., jt.author. *See* Džepina, I.
Hung-Chi Chen, jt.author. *See* Tung-Chain Tung
Hurley, J.V., jt.author. *See* Wilson, Y.T.

I

Ikeda, K., Yokoyama, M., Okada, K., Tomita, K. and Nagayama, I. Oral reconstruction using the peroneal flap, 595
Imanishi, N., jt.author. *See* Nakajima, H.
Immerseel, A.A.H. van, jt.author. *See* Jaspars, J.J.P.
Ion, L., jt.author. *See* Cassell, O.C.S.
Ion, L.E., Sykes, P.J., Cassell, O.C.S., O'Doherty, D.M. and Roberts, A.M. Comparative biomechanical analysis of a new circumferential flexor tendon repair and a modified Kessler repair, 236
Ip, W.Y., jt.author. *See* Wu, W.C.
Iregbulem, L.M. Congenital lower lip sinuses, 649
Ishigaki, Y., jt.author. *See* Furuta, S.
Işik, S., Sezgin, M., Öztürk, S., Selmanpakoğlu, N. and Kütükçü, Y. Free musculofasciocutaneous medial plantar flap for reconstruction of thenar defects, 116
Ivrlac, R., jt.author. *See* Džepina, I.
Iwuagwu, F.C. and Frame, J.D. Silicone breast implants: complications (review), 632

J

Jackson, I.T. and Beal, B. Early feeding after cleft repair (letter to the editor), 217
Jaffe, W., jt.author. *See* Ali, S.
James, N.K. and Milward, T.M. Velopharyngeal incompetence treated by the Orticochea pharyngoplasty - reply (letter to the editor), 471
Janko, M., jt.author. *See* Ahčan, U.

Jaspars, J.J.P., Posma, A.N., van Immerseel, A.A.H. and Gittenberg-de Groot, A.C. The cutaneous innervation of the female breast and nipple-areola complex: implications for surgery, 249
Jeng, S.-F., jt.author. *See* Chiang, Y.-C.
Jiang, S.-X., jt.author. *See* Yang, G.F.
Jones, B.M., jt.author. *See* Vögelin, E.

K

Kamiji, T. and Matsuda, K. A device for precise cutting of cranium in cranial vault reshaping (letter to the editor), 560
Karacaoğlu, E., jt.author. *See* Yüksel, F.
Keçik, A., jt.author. *See* Kostakoğlu, N.
Kelly, C.G., jt.author. *See* Malata, C.M.
Kenealy, J., jt.author. *See* Pay, A.D.
Kenealy, J., jt.author. *See* Sylaidis, P.
Khan, U.D., jt.author. *See* Dujon, D.G.
Kişlaoğlu, E., jt.author. *See* Yüksel, F.
Klein, C., Kovács, A. and Stuckensen, T. Free arterialised venous forearm flaps for intraoral reconstruction, 166
Kneafsey, B., jt.author. *See* Eames, M.H.A.
Knopper, J.L., jt.author. *See* van der Horst, C.M.A.M.
Kobayashi, S., Nagase, T. and Ohmori, K. Colour Doppler flow imaging of postauricular arteries and veins, 172
Kolhe, P.S., jt.author. *See* Saeed, W.R.
Koller, R., Rab, M., Todoroff, B.P., Neumayer, C., Haslik, W., Stöhr, H.G. and Frey, M. The influence of the graft length on the functional and morphological result after nerve grafting: an experimental study in rabbits, 609
Kostakoğlu, N., Borman, H. and Keçik, A. Anomalous flexor digitorum superficialis muscle belly: an unusual case of mass in the palm, 654
Kostakoğlu, N., Manek, S. and Green, C.J. The development of neovascularisation in flap prefabrication with vascular implantation: an experimental study, 428
Kovács, A., jt.author. *See* Klein, C.
Krishna, A. and Mohan, D. The other uses of the surgical glove (letter to the editor), 471
Kulkarni, B., jt.author. *See* Rao, S.
Kütükçü, Y., jt.author. *See* Işik, S.
Kwasny, O., jt.author. *See* Müllner, T.

L

Lam, C.K., jt.author. *See* Wu, W.C.
Lam, J.J., jt.author. *See* Wu, W.C.
Landuyt, K. van, jt.author. *See* Blondeel, P.N.
Lang, S., jt.author. *See* Rath, T.
Layton, C., jt.author. *See* Ralston, D.R.
Lee, J.-W., jt.author. *See* Lin, S.-C.
Lei, B. van der. Tissue expansion of a forehead flap for nasal reconstruction (letter to the editor), 217
Lepore, D.A., jt.author. *See* Wilson, Y.T.
Li, J., jt.author. *See* Yang, G.-F.
Lin, S.-C., Chiu, H.-Y., Yu, J.-C. and Lee, J.-W. Replantation of part of an ear as an open fan composite graft, 135
Lineaweaver, W.C., jt.author. *See* Ozek, C.
Liu, X.-Y., jt.author. *See* Yang, G.-F.
Liu, Y.-T., jt.author. *See* Chiang, Y.-C.
Loukota, R.A., jt.author. *See* Mitchell, D.A.
Lundeberg, T., jt.author. *See* Gribbe, Ö.
Lysens, R., jt.author. *See* Blondeel, P.N.

M

McGrouther, D.A., jt.author. *See* Papini, R.P.
McKiernan, M.V., jt.author. *See* Malata, C.M.
McLean, N.R. Endoscopically assisted latissimus dorsi harvest and prosthetic placement - reply (letter to the editor), 220
McLean, N.R., jt.author. *See* Malata, C.M.
MacNeil, S., jt.author. *See* Ralston, D.R.
Madaree, A., Ramdial, P.K. and Du Trevou, M. Giant congenital naevus of the scalp and cranium: case report and review of the literature, 20
Mahaffey, P.J., jt.author. *See* Shibu, M.M.
Malata, C.M., Camilleri, I.G., McLean, N.R., Piggott, T.A., Kelly, C.G., Chippindale, A.J. and Soames, J.V. Malignant tumours of the parotid gland: a 12-year review, 600
Malata, C.M., Feldberg, L., Coleman, D.J., Foo, I.T.H. and Sharpe, D.T. Textured or smooth implants for breast augmentation? Three year follow-up of a prospective randomised controlled trial, 99
Malata, C.M., McLean, N.R., Alvi, R., McKiernan, M.V., Milner, R.H. and Piggot, T.A. An evaluation of the Würzburg titanium miniplate osteosynthesis system for mandibular fixation, 26
Malyon, A.D., Boorman, J.G. and Bowley, N. Urinary flow rates in hypospadias, 530
Manek, S., jt.author. *See* Kostakoğlu, N.
Martínez, J.M., Alconchel, M.D., Olivares, C. and Cimorra, G.A. Reconstruction of the tragus after tumour excision (case report), 552
Maruyama, Y., jt.author. *See* Hayashi, A.
Maruyama, Y., jt.author. *See* Onishi, K.
Mathes, S.J., jt.author. *See* Foster, R.D.
Matsuda, K., jt.author. *See* Kamiji, T.
Matthews, R.N., jt.author. *See* Srinivasan, J.
Matton, G., jt.author. *See* Blondeel, P.N.
Medot, M., jt.author. *See* Fissette, J.
Mehdi, S., jt.author. *See* Panchal, J.
Millesi, W., jt.author. *See* Rath, T.
Millesi-Schobel, G., jt.author. *See* Rath, T.
Milliken, R.G., jt.author. *See* Rodriguez, L.F.
Milner, R.H., jt.author. *See* Malata, C.M.
Milward, T.M., jt.author. *See* James, N.K.
Minn, K.W., jt.author. *See* Ha, B.
Mitchell, D.A., Loukota, R.A. and Corrigan, A.M. Open reduction and internal fixation of condylar fractures via an extended bicronal approach with a masseteric myotomy (letter to the editor), 67
Mohan, D., jt.author. *See* Krishna, A.
Monstrey, S.J., jt.author. *See* Blondeel, P.N.
Montani, D., jt.author. *See* Džepina, I.
Moore, K., jt.author. *See* Boyce, D.E.
Morgan, J.R., jt.author. *See* Eming, S.A.
Morrison, W.A., jt.author. *See* Wilson, Y.T.
Mrkonjic, L., jt.author. *See* Müllner, T.
Muir, I., jt.author. *See* Wheatley, D.
Muir, I.F.K., Padilla-Lamb, A., Stewart, J.E. and Wheatley, D.N. Growth inhibition of cultured fibroblasts by extracts from human dermis, 186
Müllner, T., Mrkonjic, L., Kwasny, O. and Vécsei, V. The use of negative pressure to promote the healing of tissue defects: a clinical trial using the vacuum sealing technique, 194
Murray, G.I., jt.author. *See* Saeed, W.R.

N

Nagase, T., jt.author. *See* Kobayashi, S.
Nagayama, I., jt.author. *See* Ikeda, K.
Nakajima, H., Imanishi, N., Aiso, S. and Fujino, T. Venous drainage of the radial forearm and anterior tibial reverse flow flaps: anatomical and radiographic perfusion studies, 389
Nelissen, X., jt.author. *See* Fissette, J.
Neumayer, C., jt.author. *See* Koller, R.
Newlin, L., jt.author. *See* Ozek, C.

O

Oak, S., jt.author. *See* Rao, S.
O'Brien, C.J., jt.author. *See* Hamilton, S.A.
O'Connor, T.P.F., jt.author. *See* O'Sullivan, S.T.
O'Connor, T.P.F., jt.author. *See* Panchal, J.
O'Doherty, D.M., jt.author. *See* Ion, L.E.
Ohmori, K., jt.author. *See* Kobayashi, S.
Okada, K., jt.author. *See* Ikeda, K.
Olivares, C., jt.author. *See* Martínez, J.M.
Onishi, K., Maruyama, Y. and Yang, Y.L. Longitudinally designed dorsal metatarsal VY advancement flap for middle dorsal foot reconstruction (letter to the editor), 561

Onishi, K., Maruyama, Y. and Yataka, M. Endoscopic harvest of the tensor fasciae latae muscle flap, 58
Orr, D.J.A., Slaney, S., Ashworth, G.J. and Poole, M.D. Craniofrontonasal dysplasia, 153
O'Shaughnessy, M., jt.author. *See* Panchal, J.
O'Sullivan, S.T. and O'Connor, T.P.F. Immunosuppression following thermal injury: the pathogenesis of immunodysfunction (review), 615
O'Sullivan, S.T., jt.author. *See* Panchal, J.
Ozek, C., Zhang, F., Lineaweaver, W.C., Chin, B.T., Newlin, L., Eiman, T. and Buncke, H.J. Arterialization of the venous system in a rat lower limb model, 402
Öztürk, S., jt.author. *See* Isik, S.

P

Padilla-Lamb, A., jt.author. *See* Muir, I.F.K.
Page, R.E., jt.author. *See* Armstrong, A.P.
Panchal, J., Mehdi, S., Donoghue, J.O., O'Sullivan, S.T., O'Shaughnessy, M. and O'Connor, T.P.F. The range of excursion of flexor tendons in Zone V: a comparison of active vs passive flexion mobilisation regimes, 517
Papini, R.P., Wilson, A.P.R., Steer, J.A., Hill, G., McGrouther, D.A. and Parkhouse, N. Plasma concentrations of tumour necrosis factor-α and interleukin-6 during burn wound surgery or dressing, 354
Park, C.G., jt.author. *See* Ha, B.
Parkhouse, N., jt.author. *See* Papini, R.P.
Pay, A.D. and Kenealy, J. The use of nerve blocks in the laser treatment of cutaneous lesions, 132
Penington, A.J., jt.author. *See* Wilson, Y.T.
Pepper, J.R., jt.author. *See* Barron, D.J.
Perbeck, L., jt.author. *See* Benediktsson, K.P.
Piggot, T.A., jt.author. *See* Malata, C.M.
Pigott, R.W. Velopharyngeal incompetence treated by the Orticochea pharyngoplasty (letter to the editor), 471
Poole, M.D., jt.author. *See* Orr, D.J.A.
Posma, A.N., jt.author. *See* Jaspars, J.J.P.
Potparić, Z. and Rajačić, N. Long-term results of weight-bearing foot reconstruction with non-innervated and reinnervated free flaps, 176
Powell, B., jt.author. *See* Banwell, P.
Powell, B.W.E.M., jt.author. *See* Dheansa, B.S.

Q

Quaba, A.A. The distally-based islanded dorsal foot flap (letters to the editor), 667, 668
Quaba, A.A., jt.author. *See* Bharathwaj, V.S.
Quaba, A.A., jt.author. *See* Erdmann, M.W.H.

R

Rab, M., jt.author. *See* Koller, R.
Raeve, H. de, jt.author. *See* Ceuppens, A.
Rajačić, N. The distally based superficial sural flap for reconstruction of the lower leg and foot – reply (letter to the editor), 295
Rajačić, N., jt.author. *See* Potparić, Z.
Ralston, D.R., Layton, C., Dalley, A.J., Boyce, S.G., Freedlander, E. and MacNeil, S. Keratinocytes contract human dermal extracellular matrix and reduce soluble fibronectin production by fibroblasts in a skin composite model, 408
Ramakrishnan, V., jt.author. *See* Southern, S.J.
Ramakrishnan, V.V., Southern, S. and Villafane, O. Endoscopically assisted latissimus dorsi harvest and prosthetic placement (letter to the editor), 219
Ramakrishnan, V.V., Villafane, O. and Southern, S. Video microsurgery: a substitute for the operating microscope? (letter to the editor), 294
Ramdial, P.K., jt.author. *See* Madaree, A.
Rao, G.S., jt.author. *See* DeBono, R.
Rao, S., Oak, S., Wagh, M. and Kulkarni, B. Congenital midline palatomandibular bony fusion with a mandibular cleft and a bifid tongue, 139
Rath, T., Millesi, W., Millesi-Schobel, G., Lang, S., Glaser, C. and Todoroff, B. Mucosal prelaminated flaps for physiological reconstruction of intraoral defects after tumour resection, 303
Riccio, M., jt.author. *See* Wilson, Y.T.
Rider, M.A. and Watson, A.C.H. Outcome analysis of a modified Tajima procedure, 590
Rigby, H., jt.author. *See* Sylaidis, P.
Rigby, H.S., jt.author. *See* Zhu, N.
Roberts, A.M., jt.author. *See* Ion, L.E.
Robertson, K.E. and Tickle, C. Recent molecular advances in understanding vertebrate limb development, 109
Rodrigues, J., jt.author. *See* Santa-Comba, A.
Rodriguez, L.F., Shuster, B.A. and Milliken, R.G. Giant lipoma of the breast, 263
Ross, D.A., jt.author. *See* Grover, R.
Rumsey, N., jt.author. *See* Turner, S.R.

S

Saeed, W.R., Kolhe, P.S., Smith, F.W. and Murray, G.I. The 'turkey wattle' sign revisited: diagnosing parotid vascular malformations in the adult, 43
Şahin, Ü., jt.author. *See* Velidedeoğlu, H.V.
Samuelson, U.E., jt.author. *See* Gribbe, Ö.
Sanders, R., jt.author. *See* Grover, R.
Sandy, J.R., jt.author. *See* Turner, S.R.
Santa-Comba, A., Amarante, J., Silva, Á. and Rodrigues, J. Reverse dorsal metacarpal osteocutaneous flap (case report), 555
Sarhadi, N.S., Shaw Dunn, J. and Soutar, D.S. The cutaneous innervation of the female breast and nipple-areola complex: implications for surgery (letter to the editor), 668
Schwabegger, A., jt.author. *See* Weschelberger, G.
Scott, B.J.J., jt.author. *See* Coward, T.J.
Selmanpakoğlu, N., jt.author. *See* Işik, S.
Sezgin, M., jt.author. *See* Işik, S.
Shakespeare, V. and Cole, R.P. Measuring patient-based outcomes in a plastic surgery service: breast reduction surgical patients, 242
Sharpe, D.T., jt.author. *See* Malata, C.M.
Sharpe, D.T., jt.author. *See* Southern, S.J.
Shaw Dunn, J., jt.author. *See* Sarhadi, N.S.
Shibu, M.M., Tarabe, M.A., Graham, K., Dickson, M.G. and Mahaffey, P.J. Fingertip reconstruction with a dorsal island homodigital flap, 121
Shuster, B.A., jt.author. *See* Rodriguez, L.F.
Silva, Á., jt.author. *See* Santa-Comba, A.
Sirin, F., jt.author. *See* Cerkes, N.
Škrbić, S., jt.author. *See* Džepina, I.
Slaney, S., jt.author. *See* Orr, D.J.A.
Smith, F.W., jt.author. *See* Saeed, W.R.
So, Y.C., jt.author. *See* Wu, W.C.
Soames, J.V., jt.author. *See* Malata, C.M.
Solders, G., jt.author. *See* Benediktsson, K.P.
Soutar, D.S., jt.author. *See* Sarhadi, N.S.
Southern, S., jt.author. *See* Ramakrishnan, V.V.
Southern, S.J. and Ramakrishnan, V. Venous enhancement of a distally-based islanded fasciocutaneous flap (letter to the editor), 670
Southern, S.J. and Sharpe, D.T. A reduction mammaplasty model for the trainee and patient (letter to the editor), 142
Spyrou, G.E., jt.author. *See* Titley, O.G.
Srinivasan, J. and Matthews, R.N. The extended role of the surgical glove (letter to the editor), 218
Stanec, Z., jt.author. *See* Džepina, I.
Steer, J.A., jt.author. *See* Papini, R.P.
Stewart, J.E., jt.author. *See* Muir, I.F.K.
Stöhr, H.G., jt.author. *See* Koller, R.
Stone, C.A. A molecular approach to bone regeneration, 369
Strane, M., jt.author. *See* West, M.
Stuckensen, T., jt.author. *See* Klein, C.
Svartling, N.E., jt.author. *See* Tuominen, H.P.
Sykes, P.J., jt.author. *See* Ion, L.E.
Sylaidis, P., Gordon, D., Rigby, H. and Kenealy, J. Follow-up requirements for thick cutaneous melanoma, 349
Szwajkun, P., jt.author. *See* Breidahl, A.F.

T

Tarabe, M.A., jt.author. *See* Shibu, M.M.
Terenghi, G., jt.author. *See* Hobson, M.I.
Thomas, A., jt.author. *See* Boyce, D.E.
Thomas, P.W.N., jt.author. *See* Turner, S.R.
Tickle, C., jt.author. *See* Robertson, K.E.
Tikkanen, I.T., jt.author. *See* Tuominen, H.P.
Titley, O.G. The breast fish (letter to the editor), 295
Titley, O.G., Spyrou, G.E. and Fatah, M.F.T. Preventing seroma in the latissimus dorsi flap donor site, 106
Todoroff, B., jt.author. *See* Rath, T.
Todoroff, B.P., jt.author. *See* Koller, R.
Tomita, K., jt.author. *See* Ikeda, K.
Tonnard, P., jt.author. *See* Blondeel, P.N.
Trott, J.A., jt.author. *See* Dunaway, D.J.
Tung, T.-C. and Wei, F.-C. Excision of subcutaneous tissue for the treatment of axillary osmidrosis, 61
Tung-Chain Tung, Hung-Chi Chen, Fu-Chan Wei and Tzong-Ru Tsai. Step-wise lengthening for delayed repair of avulsion of the flexor pollicis longus, 651
Tuominen, H.P., Svartling, N.E., Tikkanen, I.T. and Asko-Seljavaara, S. The effect of felodipine on endothelin-1 levels, peripheral vasoconstriction and flap survival during microvascular breast reconstruction, 624
Türkgüven, Y., jt.author. *See* Velidedeoğlu, H.V.
Turner, S.R., Thomas, P.W.N., Dowell, T., Rumsey, N. and Sandy, J.R. Psychological outcomes amongst cleft patients and their families, 1
Tzong-Ru Tsai, jt.author. *See* Tung-Chain Tung

U

Uçar, C., jt.author. *See* Yüksel, F.
Unušić, J., jt.author. *See* Džepina, I.

V

van der Horst, C.M.A.M., de Borgie, C.A.J.M., Knopper, J.L. and Bossuyt, P.M.M. Psychosocial adjustment of children and adults with port wine stains, 463
Van der Lei, B. Tissue expansion of a forehead flap for nasal reconstruction (letter to the editor), 217
van Immerseel, A.A.H., jt.author. *See* Jaspars, J.J.P.
Van Landuyt, K., jt.author. *See* Blondeel, P.N.
Vanderstaeten, G.G., jt.author. *See* Blondeel, P.N.
Vécsei, V., jt.author. *See* Müllner, T.
Velidedeoglu, H.V., Coskunfirat, O.K., Bozdogan, M.N., Sahin, Ü. and Türkgüven, Y. The surgical management of incomplete testicular feminization syndrome in three sisters, 212
Villafane, O., jt.author. *See* Venkat Ramakrishnan, V.
Vögelin, E. and Jones, B.M. Facial palsy following trauma to the external ear: 3 case reports, 646

W

Wagh, M., jt.author. *See* Rao, S.
Wang, H.J., Chen, T.M., Chow, L.S., Cheng, T.Y. and Chen, J.L. Recipient bed vascularity and the survival of ischaemic flaps, 266
Warr, R., jt.author. *See* Zhu, N.
Watanabe, T., jt.author. *See* Furuta, S.
Watson, A.C.H., jt.author. *See* Rider, M.A.
Watson, R.M., jt.author. *See* Coward, T.J.
Wei, F.-C., jt.author. *See* Chiang, Y.-C.
Wei, F.-C., jt.author. *See* Tung, T.-C.
Weschelberger, G. and Schwabegger, A. The distally-based islanded dorsal foot flap (letter to the editor), 667
West, M. and Strane, M. Long term results of four-wall orbital decompression for Graves' ophthalmopathy, 507
Wheatley, D. and Muir, I. Growth inhibition of cultured fibroblasts by extracts from human dermis (letter to the editor), 382
Wheatley, D.N., jt.author. *See* Muir, I.F.K.
Wiklund, N.P., jt.author. *See* Gribbe, Ö.
Wilson, A.P.R., jt.author. *See* Papini, R.P.
Wilson, G.D., jt.author. *See* Grover, R.
Wilson, Y.T., Lepore, D.A., Riccio, M., Hickey, M.J., Penington, A.J., Hayward, P.G., Hurley, J.V. and Morrison, W.A. Mild hypothermia protects against ischaemia-reperfusion injury in rabbit skeletal muscle, 343
Winlove, C.P., jt.author. *See* Barron, D.J.
Wu, W.C., Chang, Y.P., So, Y.C., Ip, W.Y., Lam, C.K. and Lam, J.J. The combined use of flaps based on the subscapular vascular system for limb reconstruction, 73
Wylock, P., jt.author. *See* Ceuppens, A.

Y

Yang, G.-F., Chen, P.-J., Gao, Y.-Z., Liu, X.-Y., Li, J., Jiang, S.-X. and He, S.-P. Forearm free skin flap transplantation: a report of 56 cases (classic reprint), 162
Yang, Y.L., jt.author. *See* Onishi, K.
Yap, L.H. and Earley, M.J. The free 'V': a bipennate free flap for double eyelid resurfacing based on the second dorsal metacarpal artery, 280
Yataka, M., jt.author. *See* Onishi, K.
Yeh, M.-C., jt.author. *See* Chiang, Y.-C.
Yokoyama, M., jt.author. *See* Ikeda, K.
Yu, J.-C., jt.author. *See* Lin, S.-C.
Yüksel, F., Kişlaoğlu, E., Durak, N., Uçar, C. and Karacaoğlu, E. Prevention of painful neuromas by epineural ligatures, flaps and grafts, 182

Z

Zhang, F., jt.author. *See* Ozek, C.
Zhi-Fu Xiu. Experimental flow-through venous flaps (letter to the editor), 70
Zhu, N., Warr, R., Cai, R., Rigby, H.S. and Burd, D.A.R. Cutaneous malignant melanoma in the young, 10